Contents of Volume 41 · 1998

Aguilera C: Synthesis and properties of thermotropic compounds with two terminal mesogenic units and a central spacer. Homologous series of polymethylene-α,ω-bis[4-(4′-n-hexyloxybenzoyloxy)benzoate] 267
Akiba I, Akiyama S: Interfacial tension of poly(ethylene-*co*-vinyl alcohol)/polyamide blends 487
Akiyama S → Akiba I
Akkan U → Okay O
Alamo RG → Chowdhury F
Albano C, Sánchez G, Ismayel A: Influence of a copolymer on the mechanical properties of a blend of PP and recycled and non-recycled HDPE 91
Arencón D → Velasco JI
Arndt M, Gosmann M: Transition metal catalyzed polymerisation of norbornene 433

Baik DH, Kim GL, Park YH, Lee Y, Son Y: Effect of polymer blending on the electrical conductivity of polypyrrole/copolyester composite films 713
Barbosa CA, Gomes AS: Living tandem free radical polymerization of a liquid crystalline monomer 15
Bartkowiak A, Jezierska J, Spychaj T: An EPR study of polysaccharide copper(II) complexes in composite dextran/epichlorohydrin gels 199
Batsberg W → Jankova K
Biçak N, Senkal BF, Tunca Ü: Poly(ether sulfonamide)s with glycidyl pendant units 7
Bohdanecký M → Dostál J
Bokaris EP, Kosmas MK: The ROMP catalysts $Mo(CO)_5PPh_3$/alkylaluminum with unstrained cyclic and linear dienes as initiators of the addition polymerisation 21
Bonnans-Plaisance C, Corvazier L, Emery J, Nicol E: Functional polythiiranes 9: Stilbene mesogen side chain polythiirane 525
Boutevin B, Hervaud Y, Moulédous G: Grafting phosphonated thiol on hydroxy telechelic polybutadiene 145

Cai G: Synthesis and characterization of polythioetheramide from allylamine 533
Cantow H-J: In memoriam: Reimund Stadler, Editor of Polymer Bulletin 129
Cao S, Shi Y, Chen G: Blend of chitosan acetate salt with poly (*N*-vinyl-2-pyrrolidone): Interaction between chain-chain 553
Carbacho H → Galo Cárdenas T
Çatıker E, Güner A: Unperturbed molecular dimensions and the theta temperature of dextran in dimethylsulfoxide (DMSO) solutions 223
Çaykara T → Eroğlu MS
Cerrada ML → Fonseca C
Chen G → Cao S
Chen J, Zhang L, Nakamura Y, Norisuye T: Viscosity behavior and chain conformation of a (1 → 3)-—glucan from *Ganoderma lucidum* 471
Chen L → Huang C
Chen L-W → Cho C-S
Chen M → Wu C-M
Chen X → Jankova K
Chi L, Li H, Zhang X, Fuchs H, Shen J: Atomic force microscopic (AFM) study on a self-organizing polymer film 695
Chiu Y-S → Cho C-S
Cho C-S, Chen L-W, Chiu Y-S: Novel flame retardant epoxy resins. I: Synthesis, characterization, and properties of aryl phosphinate epoxy ether cured with diamine 45
Cho I → Doh JG
Choi J-H → Kim J-B
Choi S-K → Lee J-H
Chowdhury F, Haigh JA, Mandelkern L, Alamo RG: The supermolecular structure of ethylene-vinyl acetate copolymers 463
Chu HY → Hwang D-H
Chun YS → Jung HC
Chung IS, Eom HJ, Kim SY: Synthesis and characterization of aromatic poly(ether sulfone)s with pendent benzoyl groups 631
Cohen Addad JP, Dujourdy L: Silica concentration dependence of the kinetics of polydimethylsiloxane adsorption on aggregates 253
Contreras J → Guarrotxena N
Corvazier L → Bonnans-Plaisance C
Craig DH → Horkay F

da Silva EP, Tavares MIB: Solid state NMR study of poly(methyl methacrylate)/polyvinylpyrrolidone blends 307
de Groot JH → Spaans CJ
de Groot JH, Spaans CJ, Dekens FG, Pennings AJ: On the role of aminolysis and transesterification in the synthesis of ε-caprolactone and L-lactide based polyurethanes 299
Dekens FG → de Groot JH
Dekens FG → Spaans CJ
Dick YP → Suárez PAZ
Do L-M → Hwang D-H
Doh JG, Cho I: Synthesis and properties of polystyrene-organoammonium montmorillonite hybrid 511

Dostál J, Šimek L, Bohdanecký M: Estimation of the effective conjugation length of oligo-*p*-phenylenes from specific refractive index increments of solutions 123
Dujourdy L → Cohen Addad JP
Dutra RCL, Soares BG: Determination of the vinyl mercaptoacetate content in poly(ethylene-*co*-vinyl acetate-*co*-vinyl mercaptoacetate) (EVASH) by TGA analysis and FTIR spectroscopy 61

Einloft S → Suárez PAZ
Eisenberg A → Kim J-S
Emery J → Bonnans-Plaisance C
Eom HJ → Chung IS
Erbay E, Okay O: Macroporous styrene-divinylbenzene copolymers: Formation of stable porous structures during the copolymerization 379
Eroğlu MS: Thermoanalytical life time testing of energetic poly(glycidyl azide) and its precursor, poly(epichlorodydrin) 69
Eroğlu MS, Çaykara T, Hazer B: γ-Ray induced graft copolymerization of methyl methacrylate onto poly(β-hydroxynonanoate) 53
Escobar A → Olayo R

Fang M-S → Xu H-S
Fonseca C, Cerrada ML, Pereña JM: Anisotropy of optical and mechanical properties of stretched low density polyethylene 311
Fréchet JMJ → Liu Y
Fuchs H → Chi L
Fujiki K → Takeuchi Y

Galo Cárdenas T, Marcela González G, Carbacho H: Synthesis and TEM studies of metal clusters dispersed in polymers 333
Gantchev B, Mihailov M: Electronic absorption spectroscopy of liquid systems containing polystyrene and polyacrylonitrile. 1. Individual polymer solutions (*Erratum*) 501
Gantchev B, Mihailov M: Electronic absorption spectroscopy of liquid systems containing polystyrene and polyacrylonitrile. 1. Individual polymer solutions 207
Gao B → Jankova K
Geckeler KE → Pizarro G del C
Geckeler KE → Rivas BL
Gomes AS → Barbosa CA
Gomes AS → Mauler RS
Gosmann M → Arndt M
Guarrotxena N, Contreras J, Martínez G, Millán J: Effect of $[CHCl]_{n\geq 3}$-structures on the origin and relaxation of dipolar and trapped electric space charges in chlorinated PVC 355
Guerrero J → Terraza CA
Güner A → Çatıker E
Guo L, Shi G, Liang Y: Electrosynthesis of soluble polyaniline in acetic acid 681
Güven O → Şahiner N
Güven O → Saraydın D

Haigh JA → Chowdhury F
Han K, Suh DH, Rhee TH: Characterization of chloro-fluorinated poly(arylene ether)s for optical waveguide application 455
Hayashi T → Ishikawa Y
Hazer B → Eroğlu MS
Hervaud Y → Boutevin B
Hirano Y → Ishikawa Y
Horkay F, Craig DH: Swelling behavior of emulsion polymer particles: comparison between fully cross-linked and partially cross-linked poly(acrylate) latexes 231
Horský J: Viscometric detection of polymer inclusion complexes 215
Housaki T → Ohnishi R
Huang C, Chen L, Yang C: Study of Cu^{2+}-poly(itaconic acid-*co*-acrylic acid) complex and copper-polymer nanocomposites 585
Hudson SD → Jeon HG
Hutchings LR, Richards RW: Synthesis of deuterobutadiene-butadiene AB_2 and AB_3 miktoarm star 283
Hwang D-H, Kang I-N, Lee J-I, Do L-M, Chu HY, Zyung T, Shim H-K: Synthesis and properties of silyl-substituted PPV derivative through two different precursor polymers 275

Im JK, Jung JC: Synthesis and characterization of new AB-type poly(etherimide)s containing various naphthylene links 409
Ishikawa Y, Hirano Y, Yoshimoto J, Oka M, Hayashi T: Theoretical conformational analysis of disulfide-linked tetrapeptides Ac-Cys-Pro-D-Xaa-Cys-NHMe having hydrophobic D-Xaa amino-acid-residues 623
Ismayel A → Albano C

Jacob S, Kennedy JP: Synthesis and characterization of novel octa-arm star-block thermoplastic elastomers consisting of poly(*p*-chlorostyrene-*b*-isobutylene) arms radiating from a calix[8]arene core 167
Jacob S, Pi Z, Kennedy JP: Cationic polymerizations at elevated temperatures by novel initiating systems having weakly coordinating counteranions. 2. Isobutylene/isoprene copolymerizations 503
Jankova K, Kops J, Chen X, Gao B, Batsberg W: Synthesis of poly(styrene-*b*-isobutylene-*b*-styrene) triblock copolymer by ATRP 639
Jantas R, Szocik H, Michalak M: Preparation and properties of poly(methyl methacry-

late) crosslinked with multimonomers 161
Jeon HG, Jung H-T, Lee SW, Hudson SD: Morphology of polymer/silicate nanocomposites. High density polyethylene and a nitrile copolymer 107
Jezierska J → Bartkowiak A
Jia X, Yu X: A novel side chain liquid crystalline polyurethane 139
Ju J-L → Xu H-S
Juneau KN → Liu Y
Jung H-T → Jeon HG
Jung HC, Lee HS, Chun YS, Kim S-B, Kim WN: Blends of a thermotropic liquid crystalline polymer and some flexible chain polymers and the determination of the polymer–polymer interaction parameter of the two polymers 387
Jung JC → Im JK

Kaminsky W → Kix M
Kang I-N → Hwang D-H
Karadağ E → Şahiner N
Karadağ E → Saraydın D
Karger-Kocsis J → Wu C-M
Karl A → Minko S
Kazuhiro K → Naka K
Kennedy JP → Jacob S
Kim BO, Woo SI: Compatibilizing capability of poly(β-hydroxybutyrate-*co*-β-caprolactone) in the blend of poly(β-hydroxybutyrate) and poly(ε-caprolactone) 707
Kim GL → Baik DH
Kim H-S → Kim J-S
Kim H-S, Nah Y-H, Kim J-S, Yu J-A, Lee Y: Properties of styrene ionomers containing zwitterion-type salts 569
Kim H-T, Park J-K: Thermal degradation of poly(vinyl cinnamate) 325
Kim HK → Lee J-H
Kim J-B, Lee M-G, Choi J-H: Effect of the ionic conductivity of a polymer matrix on the electrooptical properties of polymer-dispersed liquid crystal films 37
Kim J-B, Lee M-G, Choi J-H: Polymer-dispersed liquid crystal films using poly(2-methyloxycarbonylbicyclo[2.2.1] hepta-2,5-diene-*co*-poly(ethylene glycol) methacrylate) as a matrix resin 701
Kim J-S → Kim H-S
Kim J-S, Kim H-S, Nah YH, Eisenberg A: Morphology and mechanical properties of styrene homoblends of methacrylate and sulfonate ionomers 609
Kim JD → McManus NT
Kim S-B → Jung HC
Kim SD → Park SH
Kim SY → Chung IS
Kim WN → Jung HC
Kix M, Lenk S, Kaminsky W, Kulicke W-M: Study of the solution properties of tactic polystyrenes 349
Klemm E → Kottner N
Kobayashi K, Takimoto S, Osawa Z: Crosslinking effects on the release force of addition cure silicone release agents in model systems 77
Konakazawa T → Ohnishi R
Konishi G-i → Naka K
Konosu O → Yamada B
Kops J → Jankova K
Kosmas MK → Bokaris EP
Kottner N, Klemm E: New imide-copolymers with coronand structure 153
Kulicke W-M → Kix M
Kweon DK: Preparation and characteristics of chitosan-g-PDMS copolymer 645

Lago R, Ortiz P, Rieumont J, Sanchez R: Synthesis and characterization of poly(2-furyl)methylene sulfide 1
Lee D-C → Shin S-M
Lee HS → Jung HC
Lee J-H, Moon IK, Kim HK, Choi S-K: A new class of poly(1,6-heptadiyne)-based photorefractive materials by metathesis polymerization 417
Lee J-I → Hwang D-H
Lee M-G → Kim J-B
Lee SW → Jeon HG
Lee Y → Baik DH
Lee Y → Kim H-S
Lenk S → Kix M
Li H → Chi L
Liang Y → Guo L
Liu Y, Juneau KN, Svec F, Fréchet JMJ: Use of branched aliphatic linkers for the preparation of selective chiral media for the HPLC separation of enantiomers 183
Llamas JH → Olayo R

Mandelkern L → Chowdhury F
Manolova N → Nikolova A
Manzur A → Olayo R
Marambio OG → Pizarro G del C
Marambio OG → Rivas BL
Marcela González G → Galo Cárdenas T
Marossy K: Thermally stimulated depolarization (TSD) current study of plasticized PVC 729
Márquez L, Sabino MA, Rivero IA: Characterization of PET/LLDPE blends compatibilized with DEM-grafted-polyethylene 191
Martínez AB → Santana OO
Martínez G → Guarrotxena N
Maspoch ML → Santana OO
Maspoch ML → Velasco JI
Masuda T → Sata T
Matsuda H → Sarkar A

Mauler RS, Tokumoto S, Pinto MR, Gomes AS: Liquid-crystalline polyacrylate cross-linked with α,ω polyisoprene diacrylate segments 291
McManus NT, Kim JD, Penlidis A: Observations on styrene–hydroxyethyl acrylate and styrene–hydroxyethyl acrylate–ethyl acrylate polymerizations 661
Michalak M → Jantas R
Mihailov M → Gantchev B
Millán J → Guarrotxena N
Minko S, Karl A, Senkovsky V, Pomper T, Wilke W: The strength of the tailored polymer/inclusion interface in polymer composites evaluated *in situ* by acoustic emission 247
Mirčeva A, Žigon M: Synthesis of side-chain liquid crystalline polyurethanes via ester type attachment 447
Miura Y → Yamada B
Moon IK → Lee J-H
Morhain C → Velasco JI
Moulédous G → Boutevin B
Moya SA → Terraza CA

Nah Y-H → Kim H-S
Nah YH → Kim J-S
Naka K, Konishi G-i, Kazuhiro K, Yoshiki C: Synthesis of a star-shaped polymer having tris(β-diketonato)chromium (III) at the center core 263
Nakamura Y → Chen J
Nakanishi H → Sarkar A
Nicol E → Bonnans-Plaisance C
Nikolova A, Manolova N, Rashkov I: Rheological characteristics of aqueous solutions of mixtures of chitosan and polyoxyethylene 115
Nobukane Y → Yamada B
Nomura R → Sata T
Norisuye T → Chen J

O'Hagan D, Parker AH: Enzyme mediated polyester synthesis with the lipase from *Candida rugosa*. Preparation of an enantiomerically enriched polymer from an A-B monomer 519
Ohnishi R, Housaki T, Konakazawa T: Effect of 1-allyl-3,4-dimethoxybenzene on the copolymerization of propene and small amount of ethylene with the $TiCl_4$/dibutylphthalate (DBP)/$MgCl_2$ catalyst activated by Al(i-C_4H_9)$_3$ 653
Oka M → Ishikawa Y
Okada S → Sarkar A
Okay O, Akkan U: Heterogeneities in polyacrylamide gels immersed in acetone-water mixtures 363
Okay O → Erbay E
Olayo R, Manzur A, Llamas JH, Escobar A: Effect of EPDM on the mechanical properties of blends of high and low density polyethylene 99
Ortiz P → Lago R
Osakada K → Yamaguchi I
Osawa Z → Kobayashi K

Park J-K → Kim H-T
Park SH, Kim SD: Plasma surface treatment of HDPE powders by CF_4 plasma in a fluidized bed reactor 479
Park YH → Baik DH
Parker AH → O'Hagan D
Penlidis A → McManus NT
Pennings AJ → de Groot JH
Pennings AJ → Spaans CJ
Pereña JM → Fonseca C
Pérez MA → Rabagliati FM
Pi Z → Jacob S
Pinto MR → Mauler RS
Pizarro G del C, Marambio OG, Rivas BL, Geckeler KE: Application of a synthetic water-soluble poly-(*N*-maleyl glycine-*co*-acrylamide) as polychelatogen for inorganic ions in aqueous solutions 687
Pizarro G del C → Rivas BL
Pomper T → Minko S

Qin-Chaogu Q-D S → Xu H-S
Quijada R → Rabagliati FM

Rabagliati FM, Pérez MA, Quijada R: Polymerization of styrene by diphenylzinc-additive systems. Part VII: Ph_2Zn-(n-BuCp)$_2$.$TiCl_2$-MAO systems 441
Rabagliati FM → Terraza CA
Rashkov I → Nikolova A
Rhee TH → Han K
Richards RW → Hutchings LR
Rieumont J → Lago R
Rivas BL → Pizarro G del C
Rivas BL, Pizarro G del C, Marambio OG, Geckeler KE: Thermal properties of poly(*N*-maleyl glycine), poly(*N*-maleyl glycine-*co*-acrylic acid), and their metal complexes 317
Rivero IA → Márquez L
Rosa NT → Suárez PAZ

Sabino MA → Márquez L
Şahiner N, Saraydın D, Karadağ E, Güven O: Swelling and dye adsorption properties of radiation induced *N*-vinyl-2-pyrrolidone/acrylonitrile hydrogels 371
Sánchez G → Albano C
Sanchez R → Lago R
Santana OO, Maspoch ML, Martínez AB: Polycarbonate/acrylonitrile-butadiene-styrene blends: miscibility and interfacial adhesion 721
Santana OO → Velasco JI
Saraydın D, Karadağ E, Güven O: The releases of agrochemicals from radiation induced acrylamide/crotonic acid hydrogels 577
Saraydın D → Şahiner N

Sarkar A, Okada S, Matsuda H, Nakanishi H: A novel series of quinoline containing asymmetrically substituted polydiacetylenes for third-order nonlinear optical material 425
Sata T, Nomura R, Masuda T: Polymerization of propynes bearing diphenylamino or indolyl groups 395
Schubert DW: Novel scheme for graphical representation of positive mean-field interaction parameters in statistical copolymer blends 737
Senkal BF → Biçak N
Senkovsky V → Minko S
Shen J → Chi L
Shi G → Guo L
Shi Y → Cao S
Shim H-K → Hwang D-H
Shin D-K → Shin S-M
Shin S-M, Shin D-K, Lee D-C: Study of polyester-modified epoxy resin using thermally stimulated current 561
Šimek L → Dostál J
Soares BG → Dutra RCL
Son Y → Baik DH
Souza RF → Suárez PAZ
Spaans CJ → de Groot JH
Spaans CJ, de Groot JH, Dekens FG, Pennings AJ: High molecular weight polyurethanes and a polyurethane urea based on 1,4-butanediisocyanate 131
Spychaj T → Bartkowiak A
Suárez PAZ, Rosa NT, Einloft S, Souza RF, Dick YP: Inversion of stereoselectivity in 1,3-butadiene polymerization with a niobium catalyst induced by a change in the solvent system 175
Suh DH → Han K
Svec F → Liu Y
Szocik H → Jantas R

Takenaka Y → Yamaguchi I
Takeuchi Y, Fujiki K, Tsubokawa N: Preparation of amphiphilic carbon black by post-grafting of polyethyleneimine to grafted polymer chains on the surface 85
Takimoto S → Kobayashi K
Tavares MIB → da Silva EP
Terraza CA, Guerrero J, Moya SA, Rabagliati FM: $ReBr(CO)_3$(3,3′-disubstituted-2,2′-biquinoline) modified complexes as initiating systems for styrene polymerization 669
Tokumoto S → Mauler RS
Trifonova D, Varga J, Vancso GJ: AFM study of lamellar thickness distributions in high temperature melt-crystallization of β-polypropylene 341
Tsubokawa N → Takeuchi Y
Tunca Ü → Biçak N

Vancso GJ → Trifonova D
Varga J → Trifonova D
Velasco JI, Morhain C, Arencón D, Santana OO, Maspoch ML: Low-rate fracture behaviour of magnesium hydroxide filled polypropylene block copolymer 615

Wang D → Wu W
Wilke W → Minko S
Woo SI → Kim BO
Wu C-M, Chen M, Karger-Kocsis J: Micromorphologic feature of the crystallization of isotactic polypropylene after melt-shearing 493
Wu C-M, Chen M, Karger-Kocsis J: Transcrystallization in syndiotactic polypropylene induced by high-modulus carbon fibers 239
Wu W, Wang D, Ye C: Synthesis and characterization of addition-type polyimides functionalized with diamine chromophore 401

Xu H-S, Fang M-S, Ju J-L, Qin-Chaogu Q-D S, Yang C-Z: Ion conducting polyurethane electrolyte with fixed ferrocene groups as redox active sites 675

Yamada B, Konosu O: Radical cyclopolymerization of sterically congested acrylic esters bearing bulky α-substituent containing allyl group 545
Yamada B, Nobukane Y, Miura Y: Radical polymerization of styrene mediated by 1,3,5-triphenylverdazyl 539
Yamaguchi I, Takenaka Y, Osakada K, Yamamoto T: Synthesis and thermal properties of poly(urethane)s containing soft and flexible chain as the diols part 29
Yamamoto T → Yamaguchi I
Yang C → Huang C
Yang C-Z → Xu H-S
Ye C → Wu W
Yoshiki C → Naka K
Yoshimoto J → Ishikawa Y
Yu J-A → Kim H-S
Yu X → Jia X

Zhang L → Chen J
Zhang X → Chi L
Žigon M → Mirčeva A
Zyung T → Hwang D-H

Indexed in *Current Genetics*

Subject Index

ABA 569
ABS "core-shell" terpolymer 721
Acetylenes, nitrogen-containing 395
Acoustic emission 247
Acrylamide/crotonic acid hydrogels 577
Acrylic esters, sterically congested 545
Acrylonitrile 721
Acryloyl chloride 291
AFM 695
–, β-iPP 341
AIBN 654
1-Allyl-3,4-dimethoxybenzene 653
Allylamine 533
Amino acids 623
Ammonium montmorillonite, quaternary 511
Aniline 681
Artificial proteins 623
Artificial skin 299
Aryl phosphinate epoxy ether, cured with diamine 45
ATBN 561
Atomic force microscopy, β-iPP 341
ATRP 639
Ayclic dienes 21
Azide polymers 61
2,2-Azobisisobutyronitrile 654

Basic Blue 9 371
2-Benzoyl-4,4′-difluorophenyl sulfone 631
Binary blends, positive interaction parameters 737
Biodegradability 707
Biodegradable polymers 707
Biomedical polyurethanes 131
Bis(2-benzoyl-4-fluorophenyl) sulfone 631
Bis(4-fluorophenyl) sulfone 631
10-(2,5′-Bis(glycidyloxy)phenyl)-9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide 45
Bismaleimide-diamine chromophore 401
Bismaleimides, aromatic 153
Bisphenol AF 455
Bis-(2-pyrone) 153
α-Bromo-ω-(4′-methoxybiphenyl-4-oxy)alkanes 447
BTMS-PPV 275
Butadiene 721
1,3-Butadiene, inversion of stereoselectivity 175
1,4-Butanediisocyanate 131
Butanediisocyanate 299
1,4-Butanediol dimethacrylate 161
Butyl rubbers 503

Candida rugosa 519
ε-Caprolactone 131, 299
Carbon black, amphiphilic 85
Carbon fiber, high-tenacity 239
Carboxyl-terminated butadiene acrylonitrile 561
Carboxymethyldextran 199
CF_4 plasma 479
Charge behavior 355
Chiral selectors 183
Chiral stationary phases, polymeric 183
Chitin 553, 645
Chitosan 115
Chitosan acetate 553
Chitosan-g-PDMS 645
Chlorosilane 283
p-Chlorostyrene 167
Clay minerals 107
Comptabilizers 61
Conductivity 713
Copolyester-PET 713
Copper(II) complexation 199
Coronand structures 153
CPMAS 307
Cr(III) ion 263
Cross-link density 231
Crotonic acid 577
CTBN 561
Cu^{2+}-poly(itaconic acid-co-acrylic acid) 585
CuBr/bipyridine 639
2-Cyano-2-propyl radical 539
1,5-Cyclooctadiene 21
Cyclopolymerization 545
Cylindrite 493

Dalapon 577
Data storage 417
Decafluorobiphenyl 455
DEM-g-LLDPE 191
Depolarization 729
Deuterobutadiene-butadiene AB_2/AB_3 283
Dextran/epichlorohydrin gels 199
Dextran, in dimethylsulfoxide 223
Diacetylenes 425
4,4′-Diaminodiphenyl sulfone (DDS) 45
4,4′-Diaminodiphenylmethane (DDM) 45
[2-(3,4-Dicarboxyphenyloxy)-3, 6 and 7-naphthyl]oxyanilines hydrochlorides 409
4,6-Dichlororesorcinol 455
4,4′-Dichlorosulfonyldiphenylether 7
Dicyanodiamide (DICY) 45
Difluoro monomers, sulfone-activated 631
N,N-Dimethylformamide 207
Dimethylsulfoxide (DMSO) 223
α,ω-Diols 29
3-(N,N-Diphenylamino)-1-prpyne 395
4,4-Diphenylmethane diisocyanate 139
Diphenylmethane diisocyanate 131

Diphenylzinc 441
Discharge current 355
Displays 325
Disulfonyl chlorides 7
Divinyl monomers 545
Divinylbenzene, macroporous 379
DPNR 601

Elastomers, crosslinked liquid crystal 291
Electric space charges, PVC 355
Electroluminescent properties 275
Electrolyte, polyurethane 675
Electrooptical response time 701
Electropolymerization 681
Electrosynthesis, soluble polyaniline 681
Emulsion polymer particles, swelling behavior 231
Enantiomers, HPLC separation 183
EPDM 99
Epichlorohydrin 199
Epoxy resin, polyester-modified 561
Epoxy resins, flame retardant 45
Erythrosine 371
Esterification degree 61
Esters, aromatic 267
Ethylene-1-alkene 463
Ethylene-propylene-diene rubber 99
Ethylene-vinyl acetate 463
Ethylenediamine 7

Fe-styrene 333
Ferrocene 675
Film, self-organizing 695
Fire resistance 145
Flame resistance 167
Furfuraldehyde 1

Ganoderma lucidum 471
Glucan 471
Glycidyl methacrylate 85

HDPE 91,99,107
HDPE powders, plasma surface treatment 479
Helianthin 371
Hevea brasiliensis 291
1,5-Hexadiene 21
4,4′-Hexafluoroisopropylidene)diphenol 455
Hexamethylene diisocyanate 29, 139
High-density polyethylene 91
High-modulus carbon fibers 239
Homoglucans 471
Hydrogels 363,371
Hydrogels 577
ω-Hydroxyacids 519
Hydroxyethyl acrylate 654
(2-Hydroxypropyl)-α-cyclodextrin (HPACD) 215
Hydroxytelechelic polybutadiene 145

IB/IP 503
Imide-copolymers, coronand structure 153
Inclusion complexes 215
Indigo carmine 371
Interfacial tension 487
Interfacial thickness 487
Ionomers 569,609
Isobutylene 639
–, living 167
Isobutylene/isoprene 503
Isoprene 503

L-Lactide/ ε-caprolactone 299
Lamellae 341
Latex, natural rubber 601
LC polymers 139
LCP 387
LCST 487
LDPE 99
Lipase 519
Liquid-crystal displays 325
Living tandem free radical polymerization 15
LLDPE 191
LPC 15

Magnesium hydroxide 615
MAO 349, 669
Mean-field interaction parameters 737
Meniscal prosthesis 131
Meniscal reconstruction 299
3-Mercaptopropionic acid 533
Metal atoms, solvated 333
Metal clusters dispersed in polymers 333
Metal-centered star-shaped polymer 263
Metallocene catalysts 349
Metallocene/methlaluminoxane 433
Methacrylates, substituted 545
Methyl methacrylate 53
p-2-Methyl phenylene 123
N-Methyl-2-pyrrolidone 681
1-Methyl-3-n-butyl-imidazolium chloride 175
Methylaluminoxane 349
[(4′-Methylphenyl)benzoyloxy-4-oxytetramethylene] acrylate 291
Methyltrichlorosilane 283
Microdefect formation 247
Microhardness anisotropy 311
Miktoarm star copolymers, monodisperse AB_2/AB_3 283
Miscibility 737
MMA 53
$Mo(CO)_5PPh_3$/alkylaluminum 21
Montmorillonite 511
Multimonomers 161

Nanocrystalline composites 585
Natural rubber 291
Natural rubber particles, deproteinized 601
Nerve guides 299
Ni-styrene 333

Niobium catalyst 175
NLO 401
–, third-order 425
Norbornene, transition metal catalyzed polymerization 433

1,7-Octadiene 21
Octamethylcyclotrisiloxane 645
Oligo-*p*-phenylenes 123
Optical waveguides 455
Organic conjugated polymers 275
Ostwald-de-Waele model 115

PAAm gels 363
PAN-DMF 207
PAS 387
PBHT 145
PCL 707
Pd(II)-catalysts 433
PDMS 253, 645
PEEK 387
PEI 387
PES 593
PET 713
PET/LLDPE, DEM-grafted-polyethylene 191
PHB 593, 707
Phosphonation 145
Photocharges 417
Photopolymer substrates 325
Photopolymerization 701
Photorefractive materials 417
PIB 503, 639
PIB-*b*-P*p*ClSt-*b*-PIB 167
Plasma 479
PMMA 53, 161
PMMA/PVP 307
POE 115
Poly(acrylate) latexes, partially cross-linked 231
Poly(2-acryloyloxyethyl methacrylate) 161
Poly(amic acid) 401
Poly(aryl ether sulfone)s, bisphenol A 631
Poly(arylene ether)s, chloro-fluorinated 455
[Poly(2,5-bis(trismethylsilyl)-1,4-phenylene-vinylene)] 275
Poly(ε-caprolactone) 131, 707
Poly(*p*-chlorostyrene-*b*-isobutylene) 167
Poly(epichlorodydrin) 61
Poly(ether ether ketone) 387
Poly(ether imide) 387
Poly(ether sulfonamide)s 7
Poly(ether sulfone)s, aromatic, pendant benzoyl groups 631
Poly(etherimide)s, AB-type 409
Poly(ethylene glycol) (PEG) 215
Poly(ethylene glycol) methacrylate 701
2-(Poly(ethylene glycol)oxycarbonyl)-bicyclo[2.2.1]hepta-2,5-diene 37
Poly(ethylene succinate) 593
Poly(ethylene-*co*-vinyl acetate-*co*-vinyl mercaptoacetate) (EVASH), vinyl mercaptoacetate 61
Poly(ethylene-co-vinyl alcohol)/polyamide 487
Poly(2-furyl)methylene sulfide 1
Poly(glycidyl azide) 69
Poly(1,6-heptadiyne) 417
Poly(β-hydroxybutyrate) 593, 707
Poly(β-hydroxybutyrate-co-ε-caprolactone) 707
Poly(β-hydroxynonanoate) 53
Poly(itaconic acid-co-acrylic acid) 585
Poly(*N*-maleyl glycine) 317
Poly(*N*-maleyl glycine-*co*-acrylamide) 687
Poly(*N*-maleyl glycine-*co*-acrylic acid) 317
Poly(2-methacryloyloxyethyl methacrylate) 161
Poly(methyl methacrylate)/polyvinylpyrrolidone 307
Poly(methyl methacrylate), multimonomers 161
Poly(2-methyloxycarbonyl-bicyclo[2.2.1] hepta-2,5-diene-*co*-poly(ethylene glycol) methacrylate) 701
Poly(oxyethylene), *p*-(1,3-butanedionyl)-terminated 263
Poly(PEGOC-BCHD) 37
Poly(styrene-*b*-isobutylene-*b*-styrene) 639
Poly(styrene-*co*-methacrylate) ionomers 609
Poly(styrene-*co*-styrenesulfonic acid) 569
Poly(tetramethylene oxide) (PTMO) 139
Poly(urethane)s 29
Poly(vinyl cinnamate), thermal degradation 325
Poly(*N*-vinyl-2-pyrrolidone) 553
Poly(*N*-vinylpyrrolidone) (PVP) 215
Polyacetylenes, substituted 395
Polyacrylamide gels, acetone-water 363
Polyacrylate, liquid-crystalline 291
Polyacrylonitrile, electronic absorption spectroscopy 207
Polyalkylenesulfide 1
Polyamide 6-*co*-12 487
Polyamides 533
Polyaniline, soluble, electrosynthesis 681
Polyarylsulfone 387
Polybutadiene, hydroxy telechelic 145
1,4-Polybutadiene 175
Polycarbonate/acrylonitrile-butadiene-styrene 721
Polychelatogen 687
Polydeuterobutadiene 283
Polydiacetylenes, quinoline containing asymmetrically substituted 425
Polydimethylsiloxane adsorption, aggregates 253
Polyelectrolytes 687
–, amphoteric 317
Polyester 191
–, enzyme mediated 519

Polyester-modified epoxy resin 561
Polyethylene terephtalate 191
Polyethyleneimine 85
Polyethylenes 99, 463
–, stretched low density 311
Polyimides 153
–, addition-type 401
Polyisobutylene 503, 639
Polyisoprene diacrylate 291
Polymer inclusion complexes, viscometric detection 215
Polymer matrix, ionic conductivity 37
Polymer/inclusion interface 247
Polymer/liquid crystal 701
Polymer/silicate nanocomposites 107
Polymer-polymer interactions 387
Polymethylene-,α,ω-bis[4-(4′-n-hexyloxybenzoyloxy)benzoate] 267
Polyolefins 653
Polyols 145
Polyoxyethylene 115
Polypentadiene 21
Polypropylene 91
–, β-, high temperature melt-crystallization 341
–, isotactic 493
–, syndiotactic 239
Polypropylene block copolymer, magnesium hydroxide filled 615
Polypyrrole/copolyester, composite films 713
Polysaccharide copper (II) complexes 199
Polysaccharides, dextran 223
–, water-insoluble 471
Polystyrene 441, 639
–, crystalline 669
–, electronic absorption spectroscopy 207
–, rubber particles 601
Polystyrene-organoammonium montmorillonite 511
Polystyrenes, tactic 349
Polysulfonamides 7
Polysulfone 387
Polythiiranes, stilbene mesogen side chain 525
Polythioetheramide 533
Polyurethane electrolyte, ion-conducting 675
Polyurethane urea, 1,4-butanediisocyanate 131
Polyurethanes 299
–, 1,4-butanediisocyanate 131
–, side-chain liquid crystalline 139, 447
Polyvinyl-chloride 729
Powders 479
PP 615
PPV, silyl-substituted 275
Propene/ethylene 653
Propynes, diphenylamino/indolyl groups 395
N-(2-Propynyl)carbazole 395
Proteins, artificial 623
PS-DMF 207
Pseudomonas oleovorans 53
PSF 387
PSSA 569
PVC, chlorinated 355
–, plasticized 729
PVP 307, 553

$ReBr(CO)_3$(3,3′-disubstituted-2,2′-biquinoline 669
Reinforcement 253
Relaxation map analysis 561
Release force, crosslinking effects 77
Retention 687
Riboflavin 371
ROMP catalysts 21

S-DVB, macroporous 379
SCLC 447
SCLCP 15, 525
SCLP 139
Self-organizing polymer film 695
Side chain liquid crystalline polymers 525
Silica aggregates 253
Silicone release agents, addition cure 77
Skin, artificial 299
Sodium 2,2-dichloropropionate 577
Space charges 355
Spherulite formation 463
Spherulites 493
Stable free radical polymerization (SFRP) 15
Star-block thermoplastic elastomers, octa-arm, 167
Star-branched polymers 283
Star-shaped polymer, metal-centered 263
Statistical copolymer blends 737
Stereoselectivity 175, 519
Steric hindrance-assisted polymerization 545
Styrene 654
–, diphenylzinc-additive systems 441
–, $ReBr(CO)_3$(3,3′-disubstituted-2,2′-biquinoline 669
–, 1,3,5-triphenylverdazyl 539
Styrene homoblends, methacrylate/sulfonate ionomers 609
Styrene ionomers, zwitterion-type salts 569
Styrene-divinylbenzene, macroporous 379
Styrene-hydroxyethyl acrylate 654
Sulfonamides 7
Sulfonate ionomers 609
Sulfone 631
Swelling 231

TEMPO 539
Tetrachlorosilane 283
Tetraethyl rhodamine 371
2,2,6,6-Tetramethyl-piperidinyl-1-oxy (TEMPO) 15
Tetrapeptides, disulfide-linked 623
Thermotropic compounds 267
Thioaldehyde 1

Thiokol 1
$TiCl_4$/dibutylphthalate 653
Tissue engineering 299
Titanocenes 669
Transcrystallization 239
Transesterification 299
Transition metal catalysts 433
Triphenylphosphite 409
1,3,5-Triphenylverdazyl 539
Tris(β-diketonato)chromium(III) 263
TSD 729
TSDC 355

N-Vinyl-2-pyrrolidone/acrylonitrile hydrogels 371
Vinylpolymerization 433
Vitamin B_2 371

Waveguides, optical 455